



The
Patent
Office

The Patent Office
Cardiff Road
Newport
Gwent
NP9 1RH

the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation and Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the company of "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., p.l.c. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

17 February 1997

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

7282

2. Patent application number

(The Patent Office will fill in this part)

9624894.3

29 NOV 1996

3. Full name, address and postcode of the or of each applicant (underline all surnames)

NCR INTERNATIONAL, INC.
1700 SOUTH PATTERSON BOULEVARD
DAYTON, OHIO 45479
UNITED STATES OF AMERICA

Patents ADP number (if you know it)

6105 449 001

If the applicant is a corporate body, give the country/state of its incorporation

INCORPORATED IN THE STATE OF DELAWARE

4. Title of the invention

MULTI-TRANSACTION SERVICE SYSTEM

5. Name of your agent (if you have one)

R G ROBINSON

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

INTERNATIONAL IP DEPARTMENT
NCR LIMITED
206 MARYLEBONE ROAD
LONDON NW1 6LY

Patents ADP number (if you know it)

1288281001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

NO

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form.
Do not count copies of the same document

Continuation sheets of this form

Description 11

Claim(s) 3

Abstract 1

Drawing(s) 2

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

Date 29/11/96

Reg Robinson

12. Name and daytime telephone number of person to contact in the United Kingdom R G ROBINSON TEL: 0171-725 8448

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

MULTI-TRANSACTION SERVICE SYSTEM

This invention relates to a system for the supply of multi-transaction services, such as a financial services systems, a retail services system, or a communications system. The common factor is that each system is transaction-intensive and channel-specific, i.e. provides a substantial number of simultaneous service transactions through service-specific hardware and software channels.

In a multi-transaction financial services systems, a wide range of financial services is available through a variety of different delivery channels. Examples include a telephone call to a financial institution such as a Bank to enquire about a customer balance; a withdrawal of cash from an Automated Teller Machine(ATM), and use of electronic point of sale (POS) equipment. Each service is provided by service-specific hardware and software, i.e. a service-specific delivery channel, and each channel requires a specific connection to each possible host.

It is a disadvantage of such service-specific delivery channels that the services are difficult to expand or enhance, and difficult to maintain and control. It is a further disadvantage that potentially valuable information about customer activities and behaviour is not easy to correlate across the channels, and much of the information can be regarded as "lost".

While the desirability of an integrated system having a number of different channels and capturing all customer information has been recognised for several years, no method of implementing such integration has previously been disclosed.

It is the object of the invention to provide a multi-transaction service system which does not suffer

from the disadvantages of known arrangements of a separate delivery channel for each service.

According to the invention there is provided a multi-transaction services system characterized by comprising a plurality of service request and supply channels each comprising channel-specific hardware and software;

at least one operation means comprising operation-specific hardware and software;

and connected between said channels and said operation means an integrated channel manager arranged to provide a first interface layer arranged to interface the channel-specific components of each channel; a second interface layer to interface said operation means; and between the first and second interface layers a third layer comprising at least one application service connectable to any channel in a channel-independent manner.

Preferably the system is a multi-transaction financial services system in which the channels comprises a plurality of financial service channels; the operation means comprise a plurality of financial service operation means, and the application services comprise business application services such as a balance enquiry, an account credit, an account debit, a cash deposit, a cash withdrawal, a cheque deposit a cheque withdrawal, a loan enquiry, a mortgage enquiry, an insurance enquiry, and the like.

The prior art will be described with reference to Figure 1, and the invention will be described by way of example only with reference to:-

Figure 2, which illustrates an integrated financial services system according to the invention;

Figure 3, which illustrates the integrated channel manager schematically; and

Figure 4, which illustrates the architecture of a part of the system of Fig.2.

In the prior art it is known to provide a plurality of financial services through different hardware and software channels all connected to a data host. Fig. 1 shows six typical channels, 10, 20, 30, 40, 50 and 60. In channel 10, a customer 12 visits the premises of a Bank 14, and interacts with a human cashier (not shown) for example to withdraw or deposit cash. The financial transaction details are transmitted from the bank 14 through a wide area network (WAN) 16 having a data link 19 to a transaction data host 70, i.e. a central computer. Channel 20 is similar, the customer 22 visits a bank 24 and a transaction is recorded in the data host 70 through the WAN 16 and data link 19.

In Channel 30 a customer 32 visits a self-service financial terminal such as an ATM 34. The ATM is connected by a server 36 to a local database 38 arranged to authorise and control a transaction such as a request to withdraw cash. The transaction details are sent to the data host 70 by a data link 39. In channel 40 a customer 42 uses a digital telephone (or touch-tone telephone) 44 and the public switched telephone network (PSTN) 45 to initiate a transaction, such as a balance enquiry or transfer of funds between accounts; the transaction can be based on a voice prompt system, with the customer 42 keying in the appropriate response by number on the telephone 44. The PSTN 45 connects through a server 46 to a local database 48 arranged to authorise and control the transaction, and the details are sent to

the data host 70 by a data link 49. Channel 50 is similar, but the customer 52 uses a home computer 54 to connect to a server 56, which is connected to the local database 48, and by a datalink 59 to the data host 70.

In channel 60, a customer 62 is involved in a point-of-sale (POS) transaction at a POS terminal 64 which is connected to a server 66 and local database 68. The server 66 is connected to the host 70 by a data link 69.

Clearly, the service channels 10 to 60 are independent, are different in nature, and each involve separate and distinct hardware running software specific to that hardware and that channel. Historically, each type of channel was developed at a different date, often as an "add-on" service. As each new channel was developed, it was essential to arrange it so that existing channels were not overloaded or otherwise affected, and therefore separate local databases 38, 48, 68 were provided.

It is also clear that correlation of inputs across all of the channels is not easy, so that it is difficult to make customer information from one channel available through another channel.

For example the local databases 38, 48, 68, supply the data host 70 only with relevant information. The database 68 associated with the POS channel 60 may record the information "Mr. Smith ordered a washing machine costing £1,000", but it will send to the data host 70 "Debit Mr. Smith's account by £1,000". The detailed customer information has been lost, and there is no means within the system for recognising that Mr. Smith may require insurance for the washing machine and therefore the opportunity of offering him this financial service has been lost.

In the integrated financial services system according to the invention, shown in Fig.2, a customer 80 interacts by channels 82, 83, 84, 85, 86, 87 with a number of services. Some of the services shown are identical to those in Fig.1, e.g. channel 82 allows a digital telephone 92 to be used for a balance enquiry or an account-to-account transfer of funds; channel 83 provides a service through an ATM 93; channel 84 indicates a visit by the customer to bank premises 94; and channel 86 shows the use of a home banking system running on a PC 96.

Three channels are additional to those shown in Fig.1; channel 85 shows an automated sales terminal 95, which can be arranged to sell tickets for travel or entertainment or insurance or the like on a self service basis; channel 87 provides an interactive service by means of a television receiver 97; an additional facility is the opportunity for branch sales 99, such as the offer to the customer 80 of a financial service or product such as insurance from the local bank branch.

The hardware and software associated with channels 82, 83, 84 and 85, of the branch sales facility 99 are connected directly to an integrated channel manager ICM 100. The hardware and software of the channels 86 and 87 are connected through an information highway 102, such as a wide area network or the World Wide Web to the ICM 100.

A number of business service operation means are shown in Fig.2, i.e. a transaction processing host computer 112, on which all financial transactions running in the system are recorded; an item processor such as a cheque processor 113; a relationship management database 114 on which customer details such as income, expenditure, recent purchases etc. are recorded and classified; and a financial call centre 115 from which telephone calls can be made to any customer of the

financial institution running the system to offer a new service or a financial service suggested by e.g. a recent purchase. Each operation means 112, 113, 114, 115 is connected to the ICM 100. There is also provision for connection to an external data source 111, such as a record of stocks and shares and price movements of those stocks and shares.

The arrangement of the ICM 100 is shown in highly schematic form in Fig.3. The ICM can be regarded as having three layers; a first outer layer 120 has a number of service channel interfaces 122, 124, 126 etc., one for each customer service channel, such as connection to the ATM 93 or the home computer 96. A second outer layer 130 has a number of business operation interfaces 132, 134, 136 etc., one for each business operation means, such as connection to the transaction processing host computer 112 or the cheque processor 113.

Each of the outer layers 120, 130 is organised so that each interface within it manages the channel-specific aspects of the hardware and software running the customer service channel or business service operation to which that interface is connected.

Between the outer layers is a third layer 140 which supports and executes a number of business application functions 142, 144, 146, 148, such as a balance enquiry, an account credit, an account debit, a cash deposit, a cash withdrawal, a cheque deposit, a cheque withdrawal, a loan enquiry, a mortgage enquiry, or an insurance enquiry, e.g. for a house, a car, a boat etc. An alternative name for a business application function is a business object. The common factor of all the business application functions or business objects is that the functions are channel-independent. Further any service can access any business application function which can

provide information accessed in any business service operation.

This arrangement of the ICM 100 allows the access to every business application function to be channel-independent, both from the customer delivery channel point of view and the business operation means point of view, while the channel-specific parts of interaction with each customer delivery channel or business operations means are managed by the outer layers 120, 130 of the ICM 100.

For example, suppose business application function 144 is a balance enquiry. This can be initiated from ATM 93 or a computer 96 through the interfaces 124 or 126 respectively, and the data needed to answer the enquiry resides on the host computer 112 connected through the interface 134.

The ICM 100 routes a balance enquiry from either the ATM 93 or the home computer 96 to the balance enquiry function 144 as shown by the arrows A, B and connects the function 144 to the host computer 112 as shown by arrow C. The balance information is returned through the reverse route.

The ICM 100 is arranged so that the function 144 is unaware of the customer service channel originating the call, i.e. is unaware of its channel-specific hardware and software systems, but the customer service channel receives the information in the appropriate format. Similarly, the data host 112 is unaware of the business application function to which it is providing data, but that data is supplied to the business function in the appropriate format, and is not dependent on the hardware or software systems of the data host. In other words, the complexity of accessing multiple hosts from different service delivery channels is hidden by the ICM.

The arrangement illustrated in Fig.3 is schematic only. The required separation of channel-specific and channel-independent features of the system is achieved by reason of the novel architecture of the ICM 100 which is shown in Fig.4.

The architecture comprises seven layers L1-L7 as shown, and the arrangement is a variation of the NCR Open Co-operative Computing Architecture described in the "Knowledge Centre" at <http://www.tkc.nrc.com>
Under "Products and Systems" select "Architecture (OCCA)"

The layer L1 provides interfaces for the customer 80 through any customer service channel 82-87 and is the Human Interface Service layer. Each interface is channel-specific, as described above, but in layer L1 each channel has end points at which the services of that channel are mapped, thereby defining certain channel specific features. Layer L1 does not provide access to the application services of layer L2. Layer L1 however provides access to the operation, administration and maintenance of the service requests.

Layer L2, the Application Execution Layer, monitors the execution of the business application services in layer L3, including start-up and monitoring of each application. For example, referring again to Fig.3, if the balance enquiry function 144 failed, then layer L2 would attempt to re-start it.

Layers L4 and L5 provide respectively application enabling services and distributed system services; layers L2, L4 and L5 may comprise in NCR's "Top End" middleware, described on the World Wide Web at address <http://www.ncr.com/product/topend>.

Layer L6 provides network services such as connections to geographically separated parts of the system, and layer L7 is the base platform, is the hardware and operating software layer, which may for example be Intel processors running the NCR Unix operating system.

Layer L3, Business Application Services, interacts with the Top End middleware of layers L2, L4 and L5, the architecture overall operating as described with respect to Fig.3 to provide channel specific interface layers 120, 130 to a number of business application functions.

The financial services provided by the system of Fig.2 can now be regarded as service oriented, rather than channel oriented as in the prior art. For example, if the customer 80 requires a cash withdrawal, the ICM 100 regards this as "a cash withdrawal service", which may be initiated by an ATM 93 or at a bank branch 94 etc.; in the prior art arrangement there would have been "an ATM service" or "a bank branch service".

The provision of the integrated channel manager 100 in effect draws together all the disparate sources of customer contact and information in a financial services environment. Information about a customer 80 is connected through all of the channels 82-87, and is made available by the ICM 100 to all of the business service operation means 111-115. The business services therefore have access to the customers contact history (e.g. the customer's entire use of ATMs, home banking systems, visits to a bank branch etc. which were previously logged only on a channel-specific basis); customer contact management (e.g. use of the collected customer history to offer services); and customer complaint handling (has the customer made a complaint? How was it handled? In what circumstances is it likely to recur?). The information can be used to provide targeted marketing through any

channel the customer uses to access a service, i.e. the customer can be provided with details of financial products and services most likely to be attractive to the customer, given the customers' financial background and habits.

For example if a customer makes a major purchase, an offer of an appropriate insurance may be made by the financial call centre 115. If the customer owns stocks and shares, information from the external database 111 can be used to initiate an offer of further shares as an advantageous share price is noted.

Similarly, the customer 80 has access to all of the business services by any channel, subject to restrictions placed by the financial institution, or on physical restrictions (e.g. it is still not possible to withdraw cash over the telephone, although loading of an electronic purse is a possibility).

It is a further advantage of this system according to the invention that new services can be added quickly and easily. For example, if the financial institution decides to add a car insurance scheme to its portfolio of financial products, then a central car insurance service may be added which may define the data to be collected and its validation and storage. This component is channel independent. The service can then be pulled into each suitable delivery channel 82-87 as appropriate. Initially a user interface may be added to the call centre 115 where data is entered by a call centre agent, with the ICM 100 handling the interface between the call centre and car insurance service. Later, a similar upgrade may be applied to self-service terminals 93,95 with no impact on the use of the service by the call centre or the car insurance service itself.

Such additions of new services can be supported without shutting down the existing system, and services can be moved physically within the system environment without change to or impact on the existing channels.

The separation of business functionality from delivery channels can be applied in systems other than financial service systems. The invention can also be applied in the retail system, in which the customer service channels will include a Point Of Sale till, an automatic vending machine, and a loyalty card processing terminal, and the operation means will include a relationship manager to provide a base for customer services such as special offers, posting of coupons to selected addresses etc. Also, in a communications system, the customer service channels will include conventional telephone, cable television and interactive television facilities.

CLAIMS

1. A multi-transaction services system characterized by comprising a plurality of service request and supply channels (82, 83, 84, 85, 86, 87) each comprising channel-specific hardware and software;

at least one operation means (111, 112, 113, 114, 115) comprising operation-specific hardware and software;

and connected between said channels and said operation means an integrated channel manager (100) having a first interface layer (120) arranged to interface the channel-specific components of each channel; a second interface layer (130) arranged to interface said operation means; and between the first and second interface layers a third layer (140) comprising at least one application service (142, 144, 146, 148) connectable to any channel in a channel-independent manner.
2. A system according to claim one characterized by comprising a multi-transaction financial services system in which the plurality of channels comprise financial service channels (82, 83, 84, 85, 86, 87);

the operation means comprises a plurality of financial service operations means (111, 112, 113, 114, 115) and

the application service comprises a plurality of business application services (142, 144, 146, 148).
3. A financial services system according to claim 2 characterized in that the business application services comprise at least one of a balance enquiry (144), an account credit, an account debit, a cash

deposit, a cash withdrawal, a cheque deposit, a cheque withdrawal, a loan enquiry, a mortgage enquiry, and an insurance enquiry.

4. A financial services system according to claim 2 or claim 3 characterized in that the financial service channels comprise at least two of an automated teller machine (93), a self service sales terminal (95), a home banking system (96), a digital telephone connection (92), a financial services branch office (94), a financial branch sales office (99), and an interactive television system (97).
5. A financial services system according to any one of claims 2, 3, or 4 characterized in that the business application services comprise at least one of a transaction processing host computer (112), an item processor (113), a relationship management database (114), a financial call centre (115) and an external financial database(111).
6. A financial services system according to any one of claims 2-5 characterized in that the integrated channel management means comprises:

a first layer L1 arranged to receive customer requests for a plurality of different channel-specific financial services and to provide access to the operation, administration and maintenance of the service requests;

a second layer L2 arranged to monitor the operation of said business application services;

a third layer L3 arranged to provide interfaces between said plurality of channel-specific services and said plurality of financial service operation

means, and to provide said business application services;

a fourth layer L4 arranged to provide application enabling services;

and a fifth layer L5 arranged to provide distributed system services.

7. A financial services system according to claim 6 in which said second, fourth and fifth layers L2, L4, L5, comprise the middleware NCR Top End.
8. A system according to claim 1 characterized by comprising a multi-transaction retail services system in which the plurality of channels comprise retail service channels including at least two of a point of sale service, an automatic vending service, and a loyalty card service;

and the operation means comprises at least a relationship database.

MULTI-TRANSACTION SERVICE SYSTEM

Abstract

A customer (80) can request and receive a financial service through any of a number of channels (82,83,84,85,86,87), each connected to channel-specific hardware, respectively a digital telephone (92), an ATM (93), a branch office (94), a branch sales office (99), a self service sales terminal (95), a home banking PC (96) and an interactive television (97). Each service channel is connected through an integrated channel manager (100) to business operations means including a transaction processing host computer (112), a cheque processor (113), a relationship database manager (114), a financial call centre (115), and an external financial database (111).

The ICM 100 provides interfaces for each channel and each business operation means so far as the channel-specific and business operation-specific aspects are concerned, and also runs a number of business application services (142, 144, 146, 148), such as a balance enquiry service, which can interface with any channel and any business operation means independently of any channel-specific or operation-specific requirements.

Fig.2

